			<u>-</u>		<u> </u>	70 23, 190
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:57
L2	0	("(voternear2(recordorinformationorda taorregistration)withdatabase)and@ad <20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 20:04
L3	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L4		(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L5	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L6	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L7	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L8	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L9	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04

			y			
L10	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L11	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L12	255	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L13	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L14	59	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L15	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L16	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L17	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L18	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L19	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04

			_			
L20	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L21	21	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L22	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
L23	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S1	0	("(voternear2(recordorinformationorda taorregistration)withdatabase)and@ad <20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:45
S2	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 13:24
S3	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 13:28
54	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 13:29
S5	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 16:40

S6	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 16:41
S7	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 16:42
S8	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 16:43
S9	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 14:33
S10	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 16:58
S11	254	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 16:59
S12	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:00
S13	58	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:00
S14	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:00

S15		"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 17:00
S16	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 14:34
S17	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 15:35
S19	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:29
S20	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:29
S21	21	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:31
S22	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:33
S23	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:56

			, —			
S14	1	election same database same voter same registration same (voter adj record)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/15 19:49
S15	6	election same database same voter same registration same record	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/15 19:50
S16	19	election same database same voter same registration same ballot	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/15 19:54
S17	5	("5218528" or "5878399" or "5583329" or "6250548").pn. or "20040046021"	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/15 20:07
S18	0	(return\$3 adj envelope) same qnonymous same (portion or part)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/16 11:04
S19	1	(return\$3 adj envelope) same anonymous same (portion or part)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/16 11:04
S20	287	(return\$3 adj envelope) same (portion or part)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/16 11:10
S21	1	(return\$3 adj envelope) same (portion or part) same ballot	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/16 11:08
S22	1	(return\$3 adj envelope) same (portion or part) same vot\$3	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/16 11:08
S23	4	(return\$3 adj envelope) same (multiple adj (portion or part))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/16 11:11
S24	_, 68	(election same database same voter same registration) same ballot ((generat\$3 or creat\$3) near2 ballot)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/17 16:17
S25	14	235/51.ccls. and ((election same database same voter same registration) same ballot ((generat\$3 or creat\$3) near2 ballot))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/17 16:18
S26	24	235/386.ccls. and ((election same database same voter same registration) same ballot ((generat\$3 or creat\$3) near2 ballot))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/17 16:18

S27	26	705/12.ccls. and ((election same database same voter same registration) same ballot ((generat\$3 or creat\$3) near2 ballot))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/17 16:19
S28	0	707/10.ccls. and ((election same database same voter same registration) same ballot ((generat\$3 or creat\$3) near2 ballot))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/17 16:20
S29	1	707/3.ccls. and ((election same database same voter same registration) same ballot ((generat\$3 or creat\$3) near2 ballot))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/17 16:20
S30	1	707/1.ccls. and ((election same database same voter same registration) same ballot ((generat\$3 or creat\$3) near2 ballot))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/17 16:20
S31	0	mass same mailing same envelope same insert\$3 same inner same outer	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/19 09:33
S32	82	mass same mailing same envelope same insert\$3	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/19 09:35
S33	0	mass same mailing same envelope same "inner adj envelope"	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/19 09:35
S34	0	mass same mailing same envelope same (inner adj envelope)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/19 09:35
S35	1	"09/321,830"	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/19 15:16
S36	90	"Selvarajan"	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/19 15:17
S37	8	"Selvarajan" and "321"	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/19 15:17
S38	1	"20040046021"	US-PGPUB; USPAT; JPO	OR	OFF	2005/02/25 09:51
S39	1	"6250548".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2005/02/25 09:51

S40	67	707/5,4,10,104.1.ccls. and @ad > "20050505"	US-PGPUB; USPAT; JPO	OR	OFF	2005/12/13 18:22
S41	1	"20030088547"	US-PGPUB; USPAT; JPO	OR	OFF	2005/12/13 18:22

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	."20020128323"	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/06 08:56
S2	1	"20020091673"	US-PGPUB; USPAT; JPO	OR	OFF	2005/02/25 09:42
S3	0	elect\$ same database same record same balot same (voter near1 (characteristic or type or categor\$))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/06 09:55
S4	1	election same database same record same ballot same (voter near1 (characteristic or type or categor\$))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/06 09:56
S5	3	election same database same record same ballot same voter same envelope	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/15 19:31
S6	11	election same database same record same ballot same voter	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/15 19:33
S7	12	"09/534,836" or "09/535,927" or "60/252,762" or "60/255,486" or "60/211,840" or "60/341,633"	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/06 10:41
S8	1	"6255040".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/06 10:41
S9	1	election same database same record same ballot same (voter adj registration)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/15 20:06
S10	. 3	election same database same record same ballot same voter same registration	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/15 19:35
S11	29	election same database same voter same registration	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/15 19:53
S12	68	(election same database same voter same registration) same ballot ((generat\$3 or creat\$3) near2 ballot)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/17 16:17
S13	2	(election same database same voter same registration) same ((generat\$3 or creat\$3) near2 ballot)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/15 19:46